

References

1. Boysen, D. A.; Uda, T.; Chisholm, C. R. I.; Haile, S. M. High-Performance Solid Acid Fuel Cells through Humidity Stabilization. *Science* **2004**, *303*, 68–70.
2. Successful Delivery of First 1.4 kW Solid Acid Fuel Cell Stack by Norwegian-Californian Partnership. http://www.safcell-inc.com/_press/20110223-Milestone%203%20PR.pdf.
3. Chisholm, C. R. I.; Boysen, D. A.; Papandrew, A. B.; Zecevic, S.; Cha, S.; Sasaki, K. A.; Varga, A.; Giapis, K. P.; Haile, S. M., From Laboratory Breakthrough to Technological Realization: The Development Path for Solid Acid Fuel Cells. *Electrochem Soc Interface* 2009, pp 53–59.
4. Carrette, L., Friedrich, K.A., Stimming, U. Fuel Cells; Principles, Types, Fuels, and Applications. *ChemPhysChem* **2000**, *1*, 162–193.
5. Larminie, J.; Dicks, A., *Fuel Cell Systems Explained*. 2nd ed.; J. Wiley: Chichester ; New York, 2003; p xxii, 406 p.
6. Baranov, A. I.; Shuvalov, L. A.; Shchagina, N. M. Superior Conductivity and Phase Transitions in CsHSO₄ and CsHSeO₄ Crystals. *JETP Letters* **1982**, *36*, 459–462.
7. Pawlowski, A.; Pawlaczyk, C. Electric-Conductivity and Capacity Studies of Rb₃H(SeO₄)₂ Single-Crystal near the High-Temperature Phase-Transition. *Ferroelectrics* **1988**, *81*, 1165–1170.
8. Ramasastry, C.; Ramaiah, K. S. Electrical-Conduction in Na₃H(SO₄)₂ and (NH₄)₃H(SO₄)₂ Crystals. *J Mater Sci* **1981**, *16*, 2011–2016.
9. Chisholm, C. R. I.; Haile, S. M. Superprotonic Behavior of Cs₂(HSO₄)(H₂PO₄) – a New Solid Acid in the CsHSO₄-CsH₂PO₄ System. *Solid State Ionics* **2000**, *136*, 229–241.
10. Haile, S. M.; Chisholm, C. R. I.; Sasaki, K.; Boysen, D. A.; Uda, T. Solid Acid Proton Conductors: From Laboratory Curiosities to Fuel Cell Electrolytes. *Faraday Discuss* **2007**, *134*, 17–39.
11. Chisholm, C. R. I.; Merle, R. B.; Boysen, D. A.; Haile, S. M. Superprotonic Phase Transition in CsH(PO₃H). *Chem Mater* **2002**, *14*, 3889–3893.
12. Haile, S. M.; Boysen, D. A.; Chisholm, C. R. I.; Merle, R. B. Solid Acids as Fuel Cell Electrolytes. *Nature* **2001**, *410*, 910–913.
13. Haile, S. M. Materials for Fuel Cells. *Materials Today* **2003**, 24–29.
14. Uda, T.; Boysen, D. A.; Chisholm, C. R. I.; Haile, S. M. Alcohol Fuel Cells at Optimal Temperatures. *Electrochem Solid-State Lett* **2006**, *9*, A261–A264.

15. Taninouchi, Y. K.; Uda, T.; Awakura, Y.; Ikeda, A.; Haile, S. M. Dehydration Behavior of the Superprotonic Conductor CsH_2PO_4 at Moderate Temperatures: 230 to 260 Degrees C. *J Mater Chem* **2007**, *17*, 3182–3189.
16. Taninouchi, Y.; Uda, T.; Awakura, Y. Dehydration of CsH_2PO_4 at Temperatures Higher Than 260 Degrees C and the Ionic Conductivity of Liquid Product. *Solid State Ionics* **2008**, *178*, 1648–1653.
17. Urusovskaya, A. A.; Kirpichnikova, L. F. Specific Features of Plastic Deformation in CsHSO_4 Crystals. *Crystallogr Rep* **1998**, *43*, 307–310.
18. Kirpichnikova, L. F.; Urusovskaya, A. A.; Mozgovoi, V. I. Superplasticity of CsHSO_4 Crystals in the Superionic Phase. *JETP Letters* **1995**, *62*, 638–641.
19. Kislitsyn, M. N. Materials Chemistry of Superprotonic Solid Acids. California Institute of Technology, Pasadena, 2009.
20. Sasaki, K. A. Electrochemical Characterization of Solid Acid Fuel Cell Electrodes. California Institute of Technology, Pasadena, 2010.
21. Merle, R. B.; Chisholm, C. R. I.; Boysen, D. A.; Haile, S. M. Instability of Sulfate and Selenate Solid Acids in Fuel Cell Environments. *Energy Fuels* **2003**, *17*, 210–215.
22. Zhou, W. H.; Bondarenko, A. S.; Boukamp, B. A.; Bouwmeester, H. J. M. Superprotonic Conductivity in $\text{MH}(\text{PO}_3\text{H})$ ($\text{M} = \text{Li}^+, \text{Na}^+, \text{K}^+, \text{Rb}^+, \text{Cs}^+, \text{NH}_4^+$). *Solid State Ionics* **2008**, *179*, 380–384.
23. Bondarenko, A. S.; Zhou, W. H.; Bouwmeester, H. J. M. Superprotonic $\text{KH}(\text{PO}_3\text{H})\text{-SiO}_2$ Composite Electrolyte for Intermediate Temperature Fuel Cells. *J Power Sources* **2009**, *194*, 843–846.
24. Chisholm, C. R. I.; Toberer, E. S.; Louie, M. W.; Haile, S. M. Engineering the Next Generation of Solid State Proton Conductors: Synthesis and Properties of $\text{Ba}_{3-x}\text{K}_x\text{H}_x(\text{PO}_4)_2$. *Chem Mater* **2010**, *22*, 1186–1194.
25. Uda, T.; Haile, S. M. Thin-Membrane Solid-Acid Fuel Cell. *Electrochem Solid-State Lett* **2005**, *8*, A245–A246.
26. Costamagna, P.; Srinivasan, S. Quantum Jumps in the PEMFC Science and Technology from the 1960s to the Year 2000 Part I. Fundamental Scientific Aspects. *J Power Sources* **2001**, *102*, 242–252.
27. Varga, A.; Brunelli, N. A.; Louie, M. W.; Giapis, K. P.; Haile, S. M. Composite Nanostructured Solid-Acid Fuel-Cell Electrodes Via Electrospray Deposition. *J Mater Chem* **2010**, *20*, 6309–6315.

28. Papandrew, A. B.; Chisholm, C. R. I.; Elgammal, R. A.; Ozer, M. M.; Zecevic, S. K. Advanced Electrodes for Solid Acid Fuel Cells by Platinum Deposition on CsH_2PO_4 . *Chem Mater* **2011**, 23, 1659–1667.
29. Appleby, A. J. Electrocatalysis and Fuel Cells. *Catal Rev Sci Eng* **1970**, 4, 221.
30. Adler, S. B. Factors Governing Oxygen Reduction in Solid Oxide Fuel Cell Cathodes. *Chem Rev* **2004**, 104, 4791–4843.
31. Fukai, Y., *The Metal-Hydrogen System: Basic Bulk Properties*. 2nd ed.; Springer: 2005; p 497.
32. Jiang, S. P.; Love, J. G.; Badwal, S. P. S. Electrochemical Techniques in Studies of Solid Ionic Conductors. *Key Engineering Materials* **1997**, 125–126, 81–132.
33. Orazem, M. E.; Tribollet, B., *Electrochemical Impedance Spectroscopy*. Wiley-Interscience: New Jersey, 2008; p 560.
34. Barsoukov, E.; Macdonald, J. R., *Impedance Spectroscopy : Theory, Experiment, and Applications*. 2nd ed.; John Wiley: Hoboken, N.J., 2005; p xvii, 595 p.
35. Jiang, S. P.; Love, J. G.; Badwal, S. P. S., Electrochemical Techniques in Studies of Solid Ionic Conductors. In *Electrical Properties of Oxide Materials*, Nowotny, J.; Sorrell, C. C., Eds. Trans Tech Publications: Zurich, Switzerland 1997; Vol. 125–126, pp 81–132.
36. Sasaki, K. A.; Hao, Y.; Haile, S. M. Geometrically Asymmetric Electrodes for Probing Electrochemical Reaction Kinetics: A Case Study of Hydrogen at the Pt- CsH_2PO_4 Interface. *PCCP* **2009**, 11, 8349–8357.
37. O'Hayre, R.; Prinz, F. B. The Air/Platinum/Nafion Triple-Phase Boundary: Characteristics, Scaling, and Implications for Fuel Cells. *J Electrochem Soc* **2004**, 151, A756–A762.
38. Bieberle, A.; Meier, L. P.; Gauckler, L. J. The Electrochemistry of Ni Pattern Anodes Used as Solid Oxide Fuel Cell Model Electrodes. *J Electrochem Soc* **2001**, 148, A646–A656.
39. Jiang, S. P.; Chan, S. H. A Review of Anode Materials Development in Solid Oxide Fuel Cells. *J Mater Sci* **2004**, 39, 4405–4439.
40. Adler, S. B. Factors Governing Oxygen Reduction in Solid Oxide Fuel Cell Cathodes. *Chem Rev* **2004**, 104, 4791–4843.
41. Bard, A. J.; Faulkner, L. R., *Electrochemical Methods: Fundamentals and Applications*. 2nd ed.; John Wiley & Sons: New York, 2000; p xxi, 831 p.
42. Materialschemist View of Cantilever in Atomic Force Microscope. [http://commons.wikimedia.org/wiki/File:AFM_\(used\)_cantilever_in_Scanning_Electron_Microscope,_magnification_1000x.GIF](http://commons.wikimedia.org/wiki/File:AFM_(used)_cantilever_in_Scanning_Electron_Microscope,_magnification_1000x.GIF) (accessed April 19, 2011).

43. Bonnell, D., *Scanning Probe Microscopy and Spectroscopy: Theory, Techniques, and Applications*. 2nd ed.; Wiley-VCH: 2000.
44. Adler, S. B. Reference Electrode Placement in Thin Solid Electrolytes. *J Electrochem Soc* **2002**, *149*, E166–E172.
45. Rutman, J.; Riess, I. Placement of Reference Electrode in Solid Electrolyte Cells. *Electrochim Acta* **2007**, *52*, 6073–6083.
46. Mizusaki, J.; Tagawa, H.; Saito, T.; Yamamura, T.; Kamitani, K.; Hirano, K.; Ehara, S.; Takagi, T.; Hikita, T.; Ippommatsu, M.; Nakagawa, S.; Hashimoto, K. Kinetic Studies of the Reaction at the Nickel Pattern Electrode on YSZ in H₂-H₂O Atmospheres. *Solid State Ionics* **1994**, *70–71*, 52–58.
47. Radhakrishnan, R.; Virkar, A. V.; Singhal, S. C. Estimation of Charge-Transfer Resistivity of Pt Cathode on YSZ Electrolyte Using Patterned Electrodes. *J Electrochem Soc* **2005**, *152*, A927–A936.
48. Sukeshini, A. M.; Habibzadeh, B.; Becker, B. P.; Stoltz, C. A.; Eichhorn, B. W.; Jackson, G. S. Electrochemical Oxidation of H₂, CO, and CO/H₂ Mixtures on Patterned Ni Anodes on YSZ Electrolytes. *J Electrochem Soc* **2006**, *153*, A705–A715.
49. Bieberle, A.; Gauckler, L. J. Reaction Mechanism of Ni Pattern Anodes for Solid Oxide Fuel Cells. *Solid State Ionics* **2000**, *135*, 337–345.
50. Chueh, W. C.; Haile, S. M. Electrochemical Studies of Capacitance in Cerium Oxide Thin Films and Its Relationship to Anionic and Electronic Defect Densities. *PCCP* **2009**, *11*, 8144–8148.
51. Beckel, D.; Bieberle-Hutter, A.; Harvey, A.; Infortuna, A.; Muecke, U. P.; Prestat, M.; Rupp, J. L. M.; Gauckler, L. J. Thin Films for Micro Solid Oxide Fuel Cells. *J Power Sources* **2007**, *173*, 325–345.
52. Baumann, F. S.; Maier, J.; Fleig, J. The Polarization Resistance of Mixed Conducting SOFC Cathodes: A Comparative Study Using Thin Film Model Electrodes. *Solid State Ionics* **2008**, *179*, 1198–1204.
53. Fleig, J. Microelectrodes in Solid State Ionics. *Solid State Ionics* **2003**, *161*, 279–289.
54. Koep, E.; Mebane, D. S.; Das, R.; Compson, C.; Liu, M. L. Characteristic Thickness for a Dense La_{0.8}Sr_{0.2}MnO₃ Electrode. *Electrochem Solid-State Lett* **2005**, *8*, A592–A595.
55. la O', G. J.; Shao-Horn, Y. Oxygen Surface Exchange Kinetics on Sr-Substituted Lanthanum Manganite and Ferrite Thin-Film Microelectrodes. *J Electrochem Soc* **2009**, *156*, B816–B824.
56. Uda, T.; Boysen, D. A.; Haile, S. M. Thermodynamic, Thermomechanical, and Electrochemical Evaluation of CsHSO₄. *Solid State Ionics* **2005**, *176*, 127–133.

57. Uda, T.; Chisholm, C. R. I.; Haile, S. M., Private Communication.
58. Louie, M. W.; Sasaki, K.; Haile, S. M. Towards Understanding Electrocatalysis in CsH_2PO_4 -Based Fuel Cells: Platinum and Palladium Thin Film Electrodes. *ECS Trans* **2008**, *13*, 57–62.
59. Baumann, F. S.; Fleig, J.; Habermeier, H. U.; Maier, J. Impedance Spectroscopic Study on Well-Defined $(\text{La,Sr})(\text{Co,Fe})\text{O}_{3-\delta}$ Model Electrodes. *Solid State Ionics* **2006**, *177*, 1071–1081.
60. Jung, W.; Tuller, H. L. Investigation of Cathode Behavior of Model Thin-Film $\text{SrTi}_{1-x}\text{Fe}_x\text{O}_{3-\delta}$ ($x = 0.35$ and 0.5) Mixed Ionic-Electronic Conducting Electrodes. *J Electrochem Soc* **2008**, *155*, B1194–B1201.
61. Mizusaki, J.; Amano, K.; Yamauchi, S.; Fueki, K. Electrode-Reaction at $\text{Pt}, \text{O}_2(\text{g})/\text{Stabilized Zirconia Interfaces}$.2. Electrochemical Measurements and Analysis. *Solid State Ionics* **1987**, *22*, 323–330.
62. Schmidt, M. S.; Hansen, K. V.; Norrman, K.; Mogensen, M. Effects of Trace Elements at the Ni/scYSZ Interface in a Model Solid Oxide Fuel Cell Anode. *Solid State Ionics* **2008**, *179*, 1436–1441.
63. Fultz, B.; Howe, J. M., *Transmission Electron Microscopy and Diffractometry of Materials*. 2nd ed.; Springer: 2005; p 770.
64. Rasband, W. S. Imagej. <http://imagej.nih.gov/ij/>.
65. Louie, M. W.; Kislitsyn, M.; Bhattacharya, K.; Haile, S. M. Phase Transformation and Hysteresis Behavior in $\text{Cs}_{1-x}\text{Rb}_x\text{H}_2\text{PO}_4$. *Solid State Ionics* **2010**, *181*, 173–179.
66. Ikeda, A.; Haile, S. M. *Solid State Ionics*, submitted **2011**.
67. Swanson, H. E.; Tatge, E. Standard X-Ray Diffraction Powder Patterns I. *National Bureau of Standards (U.S.), Circular* **1953**, *539*, 1–95.
68. Preisinger, A.; Mereiter, K.; Bronowska, W. The Phase Transition of CsH_2PO_4 (CDP) at 505K. *Mater Sci Forum* **1994**, *166*, 511–516.
69. Kreuer, K. D. Fast Proton Transport in Solids. *J Mol Struct* **1988**, *177*, 265–276.
70. Ebisuzaki, Y.; Kass, W. J.; Okeeffe, M. Solubility and Diffusion of Hydrogen and Deuterium in Platinum. *J Chem Phys* **1968**, *49*, 3329
71. Katsuta, H.; Mclellan, R. B. Diffusivity Permeability and Solubility of Hydrogen in Platinum. *J Phys Chem Solids* **1979**, *40*, 697–699.
72. Sakamoto, Y.; Kamohara, H. Diffusivity and Solubility of Hydrogen in Platinum Determined by the Electrochemical Permeation Method. *J Jpn Inst Met* **1981**, *45*, 797–802.

73. Gileadi, E.; Fullenwi.Ma; Bockris, J. O. M. Permeation of Electrolytic Hydrogen through Platinum. *J Electrochem Soc* **1966**, *113*, 926–930.
74. Hertz, J. L.; Tuller, H. L. Electrochemical Characterization of Thin Films for a Micro-Solid Oxide Fuel Cell. *J Electroceram* **2004**, *13*, 663–668.
75. Radhakrishnan, R.; Virkar, A. V.; Singhal, S. C. Estimation of Charge-Transfer Resistivity of $\text{La}_{0.8}\text{Sr}_{0.2}\text{MnO}_3$ Cathode on $\text{Y}_{0.16}\text{Zr}_{0.84}\text{O}_2$ Electrolyte Using Patterned Electrodes. *J Electrochem Soc* **2005**, *152*, A210–A218.
76. Atkinson, A.; Barnett, S.; Gorte, R. J.; Irvine, J. T. S.; McEvoy, A. J.; Mogensen, M.; Singhal, S. C.; Vohs, J. Advanced Anodes for High-Temperature Fuel Cells. *Nature* **2004**, *3*, 17–27.
77. Litster, S.; McLean, G. PEM Fuel Cell Electrodes. *J Power Sources* **2004**, *130*, 61–76.
78. O'Hayre, R.; Lee, M.; Prinz, F. B. Ionic and Electronic Impedance Imaging Using Atomic Force Microscopy. *J Appl Phys* **2004**, *95*, 8382–8392.
79. Bussian, D. A.; O'Dea, J. R.; Metiu, H.; Buratto, S. K. Nanoscale Current Imaging of the Conducting Channels in Proton Exchange Membrane Fuel Cells. *Nano Lett* **2007**, *7*, 227–232.
80. Aleksandrova, E.; Hiesgen, R.; Friedrich, K. A.; Roduner, E. Electrochemical Atomic Force Microscopy Study of Proton Conductivity in a Nafion Membrane. *PCCP* **2007**, *9*, 2735–2743.
81. Takimoto, N.; Ohira, A.; Takeoka, Y.; Rikukawa, M. Surface Morphology and Proton Conduction Imaging of Nafion Membrane. *Chem Lett* **2008**, *37*, 164–165.
82. Layson, A.; Gadad, S.; Teeters, D. Resistance Measurements at the Nanoscale: Scanning Probe AC Impedance Spectroscopy. *Electrochimica Acta* **2003**, *48*, 2207–2213.
83. Vels Hansen, K.; Jacobsen, T.; Norgaard, A.-M.; Ohmer, N.; Mogensen, M. Scanning Probe Microscopy at 650 °C in Air. *Electrochem Solid-State Lett* **2009**, *12*, B144–B145.
84. Loster, M.; Friedrich, K. A.; Scherson, D. A. Assembly and Electrochemical Characterization of Nanometer-Scale Electrode|Solid Electrolyte Interfaces. *J Phys Chem B* **2006**, *110*, 18081–18087.
85. O'Hayre, R.; Feng, G.; Nix, W. D.; Prinz, F. B. Quantitative Impedance Measurement Using Atomic Force Microscopy. *J Appl Phys* **2004**, *96*, 3540–3549.
86. Norby, T.; Friesel, M.; Mellander, B. E. Proton and Deuteron Conductivity in CsHSO_4 and CsDSO_4 by in Situ Isotopic Exchange. *Solid State Ionics* **1995**, *77*, 105–110.
87. *HSC Chemistry*. Outokumpu Research Oy: 1974–2002.
88. Birss, V. I.; Chang, M.; Segal, J. Platinum Oxide Film Formation-Reduction: An In-situ Mass Measurement Study. *J Electroanal Chem* **1993**, *355*, 181–191.

89. Hsueh, K.-L.; Gonzalez, E. R.; Srinivasan, S. Effects of Phosphoric Acid Concentration on Oxygen Reduction Kinetics at Platinum. *J Electrochem Soc* **1984**, *131*, 823–828.
90. Tammeveski, K.; Tenno, T.; Claret, J.; Ferrater, C. Electrochemical Reduction of Oxygen on Thin-Film Pt Electrodes in 0.1 M KOH. *Electrochim Acta* **1997**, *42*, 893–897.
91. Paik, C. H.; Jarvi, T. D.; O'Grady, W. E. Extent of PEMFC Cathode Surface Oxidation by Oxygen and Water Measured by Cv. *Electrochem Solid-State Lett* **2004**, *7*, A82–A84.
92. Xu, H.; Kunz, R.; Fenton, J. M. Investigation of Platinum Oxidation in PEM Fuel Cells at Various Relative Humidities. *Electrochem Solid-State Lett* **2007**, *10*, B1–B5.
93. Zhai, Y.; Zhang, H.; Xing, D.; Shao, Z.-G. The Stability of Pt/C Catalyst in H₃PO₄/PBI PEMFC During High Temperature Life Test. *J Power Sources* **2007**, *164*, 126–133.
94. Song, Y.; Fenton, J. M.; Kunz, H. R.; Bonville, L. J.; Williams, M. V. High-Performance PEMFCs at Elevated Temperatures Using Nafion 112 Membranes. *J Electrochem Soc* **2005**, *152*, A539–A544.
95. Kwon, K.; Park, J. O.; Yoo, D. Y.; Yi, J. S. Phosphoric Acid Distribution in the Membrane Electrode Assembly of High Temperature Proton Exchange Membrane Fuel Cells. *Electrochim Acta* **2009**, *54*, 6570–6575.
96. Aragane, J.; Urushibata, H.; Murahashi, T. Evaluation of an Effective Platinum Metal Surface Area in a Phosphoric Acid Fuel Cell. *J Electrochem Soc* **1994**, *141*, 1804–1808.
97. Fouda-Onana, F.; Bah, S.; Savadogo, O. Palladium-Copper Alloys as Catalysts for the Oxygen Reduction Reaction in an Acidic Media I: Correlation between the ORR Kinetic Parameters and Intrinsic Physical Properties of the Alloys. *J Electroanal Chem* **2009**, *636*, 1–9.
98. Kumar, S.; Zou, S. Electrooxidation of CO on Uniform Arrays of Au Nanoparticles: Effects of Particle Size and Interparticle Spacing. *Langmuir* **2009**, *25*, 574–581.
99. Murthi, V. S.; Urian, R. C.; Mukerjee, S. Oxygen Reduction Kinetics in Low and Medium Temperature Acid Environment: Correlation of Water Activation and Surface Properties in Supported Pt and Pt Alloy Electrocatalysts. *J Phys Chem B* **2004**, *108*, 11011–11023.
100. Parthasarathy, A.; Srinivasan, S.; Appleby, A. J.; Martin, C. R. Temperature Dependence of the Electrode Kinetics of Oxygen Reduction at the Platinum/Nafion Interface – a Microelectrode Investigation. *J Electrochem Soc* **1992**, *139*, 2530–2537.
101. Remita, H.; Siril, P. F.; Mbomekalle, I.-M.; Keita, B.; Nadj, L. Activity Evaluation of Carbon Paste Electrodes Loaded with Pt Nanoparticles Prepared in Different Radiolytic Conditions. *J Solid State Electrochem* **2006**, *10*, 506–511.

102. Takasu, Y.; Ohashi, N.; Zhang, X.-G.; Murakami, Y.; Minagawa, H.; Sato, S.; Yahikozawa, K. Size Effects of Platinum Particles on the Electroreduction of Oxygen. *Electrochim Acta* **1996**, *41*, 2595–2600.
103. Tilak, B. V.; Chen, C.-P.; Birss, V. I.; Wang, J. Capacitive and Kinetic Characteristics of Ru-Ti Oxides Electrodes: Influence of Variation in the Ru Content. *Can J Chem* **1997**, *75*, 1773–1782.
104. Uchida, H.; Yoshida, M.; Watanabe, M. Effects of Ionic Conductivities of Zirconia Electrolytes on Polarization Properties of Platinum Anodes in Solid Oxide Fuel Cells. *J Phys Chem* **1995**, *99*, 3282–3287.
105. Chisholm, C. R. I.; Haile, S. M. High-Temperature Phase Transitions in $\text{K}_3\text{H}(\text{SO}_4)_2$. *Solid State Ionics* **2001**, *145*, 179–184.
106. Chisholm, C. R. I.; Haile, S. M. Entropy Evaluation of the Superprotonic Phase of CsHSO_4 : Pauling's Ice Rules Adjusted for Systems Containing Disordered Hydrogen-Bonded Tetrahedra. *Chem Mater* **2007**, *19*, 270–279.
107. Chisholm, C. R. I.; Haile, S. M. Structure and Thermal Behavior of the New Superprotonic Conductor $\text{Cs}_2(\text{HSO}_4)(\text{H}_2\text{PO}_4)$. *Acta Crystallogr B* **1999**, *55*, 937–946.
108. Pawlowski, A.; Szczesniak, L.; Polomska, M.; Hilczer, B.; Kirpichnikova, L. Pretransitional Effects at the Superionic Phase Transition of $\text{Rb}_3\text{H}(\text{SeO}_4)_2$ Protonic Conductor. *Solid State Ionics* **2003**, *157*, 203–208.
109. Merinov, B. V.; Haile, S. M.; Bismayer, U. Crystal Structure of the "Intermediate" Phase of the Protonic Conductor $\text{Rb}_3\text{H}(\text{SeO}_4)_2$. *Solid State Ionics* **2002**, *146*, 355–365.
110. Cui, J.; Chu, Y. S.; Famodu, O. O.; Furuya, Y.; Hattrick-Simpers, J.; James, R. D.; Ludwig, A.; Thienhaus, S.; Wuttig, M.; Zhang, Z. Y.; Takeuchi, I. Combinatorial Search of Thermoelastic Shape-Memory Alloys with Extremely Small Hysteresis Width. *Nat Mater* **2006**, *5*, 286–290.
111. Zhang, Z. Y.; James, R. D.; Muller, S. Energy Barriers and Hysteresis in Martensitic Phase Transformations. *Acta Mater* **2009**, *57*, 4332–4352.
112. Zarnetta, R.; Takahashi, R.; Young, M. L.; Savan, A.; Furuya, Y.; Thienhaus, S.; Maass, B.; Rahim, M.; Frenzel, J.; Brunken, H.; Chu, Y. S.; Srivastava, V.; James, R. D.; Takeuchi, I.; Eggeler, G.; Ludwig, A. Identification of Quaternary Shape Memory Alloys with Near-zero Thermal Hysteresis and Unprecedented Functional Stability. *Adv Funct Mater* **2010**, *20*, 1917–1923.
113. Cowan, L. A. Superprotonic Solid Acid Phase Transitions and Stability. California Institute of Technology, Pasadena, 2007.
114. Martsinkevich, V. V.; Ponomareva, V. G.; Drebuschak, T. N.; Lavrova, G. V.; Shatskaya, S. S. Structure of $\text{Cs}_{1-x}\text{Rb}_x\text{H}_2\text{PO}_4$ Solid Solutions. *Inorg Mater* **2010**, *46*, 765–769.

115. Bhattacharya, K., *Microstructure of Martensite: Why It Forms and How It Gives Rise to the Shape-Memory Effect*. Oxford University Press: 2003.
116. Uesu, Y.; Kobayashi, J. Crystal-Structure and Ferroelectricity of Cesium Dihydrogen Phosphate CsH_2PO_4 . *Phys Status Solidi A* **1976**, 34, 475–481.
117. Yamada, K., Sagara, T., Yamane, Y., Ohki, H., Okuda, T. Superprotonic Conductor CsH_2PO_4 Studied by ^1H , ^{31}P NMR and X-Ray Diffraction. *Solid State Ionics* **2004**, 175, 557–562.
118. Preisinger, A., Mereiter, K., Bronowska, W. The Phase Transition of CsH_2PO_4 (CDP) at 505K. *Mat Sci Forum* **1994**, 166, 511–516.
119. Bronowska, W. High-Temperature Phenomena in RbD_2PO_4 and CsH_2PO_4 Polymeric Transformations or Polymorphic Phase Transitions? *Mater Sci-Poland* **2006**, 24, 229–236.
120. Romain, F.; Novak, A. Raman-Study of the High-Temperature Phase-Transition in CsH_2PO_4 . *J Mol Struct* **1991**, 263, 69–74.
121. Otomo, J.; Minagawa, N.; Wen, C. J.; Eguchi, K.; Takahashi, H. Protonic Conduction of CsH_2PO_4 and Its Composite with Silica in Dry and Humid Atmospheres. *Solid State Ionics* **2003**, 156, 357–369.
122. Boysen, D. A.; Haile, S. M.; Liu, H. J.; Secco, R. A. High-Temperature Behavior of CsH_2PO_4 under Both Ambient and High Pressure Conditions. *Chem Mater* **2003**, 15, 727–736.
123. Franceschetti, D. R.; Macdonald, J. R. Interpretation of Finite-Length-Warburg-Type Impedances in Supported and Unsupported Electrochemical Cells with Kinetically Reversible Electrodes. *J Electrochem Soc* **1991**, 138, 1368–1371.
124. Ikeda, A., Private Communication. 2011.
125. Antolini, E. Palladium in Fuel Cell Catalysis. *Energy Environ Sci* **2009**, 2, 915–931.
126. Wipf, H. Diffusion of Hydrogen in Metals. *Top Appl Phys* **1997**, 73, 51–91.
127. Sasaki, K.; Haile, S. M., Private Communication.
128. Pasierb, P.; Rekas, M. Solid-State Potentiometric Gas Sensors-Current Status and Future Trends. *J Solid State Electrochem* **2009**, 13, 3–25.
129. Korotcenkov, G.; Do Han, S.; Stetter, J. R. Review of Electrochemical Hydrogen Sensors. *Chem Rev* **2009**, 109, 1402–1433.
130. Siebert, E.; Rosini, S.; Bouchet, R.; Vitter, G. Mixed Potential Type Hydrogen Sensor. *Ionics* **2003**, 9, 168–175.
131. Garzon, F. H.; Mukundan, R.; Brosha, E. L. Solid-State Mixed Potential Gas Sensors: Theory. Experiments and Challenges. *Solid State Ionics* **2000**, 136, 633–638.

132. Miura, N.; Lu, G. Y.; Yamazoe, N. Progress in Mixed-Potential Type Devices Based on Solid Electrolyte for Sensing Redox Gases. *Solid State Ionics* **2000**, *136*, 533–542.
133. Rosini, S.; Siebert, E. Electrochemical Sensors for Detection of Hydrogen in Air: Model of the Non-Nemstian Potentiometric Response of Platinum Gas Diffusion Electrodes. *Electrochim Acta* **2005**, *50*, 2943–2953.
134. Moseley, P.; Williams, D. Sensing Reducing Gases. *Nature* **1990**, *346*, 23–23.
135. Dyer, C. K. A Novel Thin-Film Electrochemical Device for Energy-Conversion. *Nature* **1990**, *343*, 547–548.
136. Tomita, A.; Namekata, Y.; Nagao, M.; Hibino, T. Room-Temperature Hydrogen Sensors Based on an In³⁺-Doped SnP₂O₇ Proton Conductor. *J Electrochem Soc* **2007**, *154*, J172–J176.
137. Lu, G. Y.; Miura, N.; Yamazoe, N. Mixed Potential Hydrogen Sensor Combining Oxide Ion Conductor with Oxide Electrode. *J Electrochem Soc* **1996**, *143*, L154–L155.
138. Miura, N.; Ono, M.; Shimano, K.; Yamazoe, N. A Compact Solid-State Amperometric Sensor for Detection of NO₂ in Ppb Range. *Sens Actuators B* **1998**, *49*, 101–109.
139. Fergus, J. W. Solid Electrolyte Based Sensors for the Measurement of CO and Hydrocarbon Gases. *Sens Actuators B* **2007**, *122*, 683–693.