

REFERENCES

- Alvarez, L. W., W. Alvarez, F. Asaro, and H. V. Michel (1980), Extraterrestrial Cause for the Cretaceous-Tertiary Extinction, *Science*, 208(4448), 1095-1108, doi: 10.1126/science.208.4448.1095.
- Amieux, P., P. Bernier, R. Dalongeville, and V. Demedwecki (1989), Cathodoluminescence of Carbonate-Cemented Holocene Beachrock from the Togo Coastline (West-Africa) - an Approach to Early Diagenesis, *Sedimentary Geology*, 65(3-4), 261-272, doi: 10.1016/0037-0738(89)90028-6.
- Anderson, D. L., W. F. Miller, G. V. Latham, Y. Nakamura, M. N. Toksoz, A. M. Dainty, F. K. Duennebier, A. R. Lazarewicz, R. L. Kovach, and T. C. D. Knight (1977), Seismology on Mars, *Eos T Am Geophys Un*, 58(8), 828-828.
- Anderson, R. B., and J. F. Bell (2010), Geologic mapping and characterization of Gale Crater and implications for its potential as a Mars Science Laboratory landing site, *The Mars Journal*, 5, 76-128, doi: 10.1555/mars.2010.0004.
- Arvidson, R. E., et al. (2014), Ancient Aqueous Environments at Endeavour Crater, Mars, *Science*, 343(6169), doi: 10.1126/science.1248097.
- Bakalowicz, M. J., D. C. Ford, T. E. Miller, A. N. Palmer, and M. V. Palmer (1987), Thermal Genesis of Dissolution Caves in the Black Hills, South-Dakota, *Geological Society of America Bulletin*, 99(6), 729-738, doi: 10.1130/0016-7606(1987)99<729:Tgodci>2.0.Co;2.
- Baker, M. B., and J. R. Beckett (1999), The origin of abyssal peridotites: a reinterpretation of constraints based on primary bulk compositions, *Earth Planet Sc Lett*, 171(1), 49-61, doi: 10.1016/S0012-821x(99)00130-2.
- Baker, V. R., and D. J. Milton (1974), Erosion by Catastrophic Floods on Mars and Earth, *Icarus*, 23(1), 27-41, doi: 10.1016/0019-1035(74)90101-8.
- Banner, J. L., and G. N. Hanson (1990), Calculation of Simultaneous Isotopic and Trace-Element Variations during Water-Rock Interaction with Applications to Carbonate Diagenesis, *Geochim Cosmochim Ac*, 54(11), 3123-3137, doi: 10.1016/0016-7037(90)90128-8.
- Bauerman, H. (1885), Report on the geology of the country near the forty-ninth parallel of North latitude West of the Rocky Mountains. Report of Progress 1882-1884, Part B, Geological Survey of Canada (1885), pp. 1-42.

- Belderson, R. H., N. H. Kenyon, and A. H. Stride (1978), Local Submarine Salt-Karst Formation on Hellenic Outer Ridge, Eastern Mediterranean, *Geology*, *6*(12), 716-720, doi: 10.1130/0091-7613(1978)6<716:Lssfot>2.0.Co;2.
- Bell, J., A. Godber, M. Rice, A. Fraeman, B. Ehlmann, W. Goetz, C. Hardgrove, D. Harker, J. Johnson, and K. Kinch (2013), Initial Multispectral Imaging Results from the Mars Science Laboratory Mastcam Investigation at the Gale Crater Field Site, paper presented at 44th Lunar and Planetary Science Conference, LPI, Houston, TX, Abs. #1417.
- Bethke, C. M. (1985), A Numerical-Model of Compaction-Driven Groundwater-Flow and Heat-Transfer and Its Application to the Paleohydrology of Intracratonic Sedimentary Basins, *J Geophys Res-Solid*, *90*(Nb8), 6817-6828, doi: 10.1029/JB090iB08p06817.
- Bibring, J. P., et al. (2005), Mars surface diversity as revealed by the OMEGA/Mars Express observations, *Science*, *307*(5715), 1576-1581, doi: 10.1126/science.1108806.
- Bibring, J. P., et al. (2006), Global mineralogical and aqueous mars history derived from OMEGA/Mars Express data, *Science*, *312*(5772), 400-404, doi: 10.1126/science.1122659.
- Bish, D., et al. (2014), The first X-ray diffraction measurements on Mars, *IUCrJ*, *1*(Pt 6), 514-522, doi: 10.1107/S2052252514021150.
- Bish, D. L., et al. (2013), X-ray Diffraction Results from Mars Science Laboratory: Mineralogy of Rocknest at Gale Crater, *Science*, *341*(6153), doi: 10.1126/science.1238932.
- Bishop, J. W., D. Y. Sumner, and N. J. Huerta (2006), Molar tooth structures of the Neoproterozoic Monteville Formation, Transvaal Supergroup, South Africa. II: A wave-induced fluid flow model, *Sedimentology*, *53*(5), 1069-1082, doi: 10.1111/j.1365-3091.2006.00802.x.
- Blake, D., et al. (2012), Characterization and Calibration of the CheMin Mineralogical Instrument on Mars Science Laboratory, *Space Sci Rev*, *170*(1-4), 341-399, doi: 10.1007/s11214-012-9905-1.
- Blaney, D. L., et al. (2014), Chemistry and texture of the rocks at Rocknest, Gale Crater: Evidence for sedimentary origin and diagenetic alteration, *J Geophys Res-Planet*, *119*(9), 2109-2131, doi: 10.1002/2013je004590.
- Bryan, W. B., L. W. Finger, and F. Chayes (1969), Estimating proportions in petrographic mixing equations by least-squares approximation, *Science*, *163*(3870), 926-927, doi: 10.1126/science.163.3870.926.

Burr, D. M., P. A. Carling, and V. R. Baker (Eds.) (2009), *Megaflooding on Earth and Mars*, 319 pp., Cambridge University Press, New York.

Burst, J. F. (1965), Subaqueously Formed Shrinkage Cracks in Clay, *Journal of Sedimentary Petrology*, 35(2), 348-353.

Calver, C. R., and P. W. Baillie (1990), Early Diagenetic Concretions Associated with Intrastratal Shrinkage Cracks in an Upper Proterozoic Dolomite, Tasmania, Australia, *Journal of Sedimentary Petrology*, 60(2), 293-305.

Campbell, J. L., G. M. Perrett, R. Gellert, S. M. Andrushenko, N. I. Boyd, J. A. Maxwell, P. L. King, and C. D. M. Schofield (2012), Calibration of the Mars Science Laboratory Alpha Particle X-ray Spectrometer, *Space Sci Rev*, 170(1-4), 319-340, doi: 10.1007/s11214-012-9873-5.

Canfield, D. E. (2005), THE EARLY HISTORY OF ATMOSPHERIC OXYGEN: Homage to Robert M. Garrels, *Annual Review of Earth and Planetary Sciences*, 33(1), 1-36, doi: 10.1146/annurev.earth.33.092203.122711.

Carr, M. H. (1987), Water on Mars, *Nature*, 326(6108), 30-35, doi: 10.1038/326030a0.

Carrapa, B., A. Di Giulio, and J. Wijbrans (2004), The early stages of the Alpine collision: an image derived from the upper Eocene–lower Oligocene record in the Alps–Apennines junction area, *Sedimentary Geology*, 171(1-4), 181-203, doi: 10.1016/j.sedgeo.2004.05.015.

Cawood, P. A., A. A. Nemchin, M. Freeman, and K. Sircombe (2003), Linking source and sedimentary basin: Detrital zircon record of sediment flux along a modern river system and implications for provenance studies, *Earth Planet Sc Lett*, 210(1-2), 259-268, doi: 10.1016/S0012-821x(03)00122-5.

Chesworth, W., J. Dejoux, and P. Larroque (1981), The Weathering of Basalt and Relative Mobilities of the Major Elements at Belbex, France, *Geochim Cosmochim Acta*, 45(7), 1235-1243, doi: 10.1016/0016-7037(81)90147-2.

Christensen, P. R., et al. (2005), Evidence for magmatic evolution and diversity on Mars from infrared observations, *Nature*, 436(7050), 504-509, doi: 10.1038/nature03639.

Clark, B. C., et al. (2005), Chemistry and mineralogy of outcrops at Meridiani Planum, *Earth Planet Sc Lett*, 240(1), 73-94, doi: 10.1016/j.epsl.2005.09.040.

Condie, K. C. (1993), Chemical Composition and Evolution of the Upper Continental-Crust: Contrasting Results from Surface Samples and Shales, *Chem. Geol.*, 104(1-4), 1-37, doi: 10.1016/0009-2541(93)90140-E.

- Cowan, C. A., and N. P. James (1992), Diastasis Cracks: mechanically generated synaeresis-like cracks in Upper Cambrian shallow water oolite and ribbon carbonates, *Sedimentology*, 39(6), 1101-1118, doi: 10.1111/j.1365-3091.1992.tb01999.x.
- Dehouck, E., S. M. McLennan, P. Y. Meslin, and A. Cousin (2014), Constraints on abundance, composition, and nature of X-ray amorphous components of soils and rocks at Gale crater, Mars, *Journal of Geophysical Research: Planets*, 119(12), 2640-2657, doi: 10.1002/2014je004716.
- Di Achille, G., and B. Hynek (2010), Ancient ocean on Mars supported by global distribution of deltas and valleys, *Nat Geosci*, 3, 459-463, doi: 10.1038/ngeo89110.1038/NGEO891.
- DiBiase, R. A., A. B. Limaye, J. S. Scheingross, W. W. Fischer, and M. P. Lamb (2013), Deltaic deposits at Aeolis Dorsa: Sedimentary evidence for a standing body of water on the northern plains of Mars, *Journal of Geophysical Research: Planets*, 118(6), 1285-1302, doi: 10.1002/jgre.20100.
- Dorobek, S. L. (1987), Petrography, geochemistry, and origin of burial diagenetic facies, Siluro-Devonian Helderberg Group (carbonate rocks), central Appalachians, *AAPG Bulletin*, 71(5), 492-514.
- Dreibus, G., and H. Wanke (1985), Mars, a Volatile-Rich Planet, *Meteoritics*, 20(2), 367-381.
- Driscoll, R., and R. Leinz (2005), Methods for synthesis of some jarosites. Techniques and Methods, pp. 9.
- Duck, R. W. (1995), Subaqueous Shrinkage Cracks and Early Sediment Fabrics Preserved in Pleistocene Calcareous Concretions, *J Geol Soc London*, 152, 151-156, doi: 10.1144/gsjgs.152.1.0151.
- Edgett, K. S., et al. (2012), Curiosity's Mars Hand Lens Imager (MAHLI) Investigation, *Space Sci Rev*, 170(1-4), 259-317, doi: 10.1007/s11214-012-9910-4.
- Ehlmann, B. L., and J. F. Mustard (2012), An in-situ record of major environmental transitions on early Mars at Northeast Syrtis Major, *Geophys Res Lett*, 39(11), doi: 10.1029/2012gl051594.
- Ehlmann, B. L., and C. S. Edwards (2014), Mineralogy of the Martian Surface, *Annu Rev Earth Pl Sc*, 42(1), 291-315, doi: 10.1146/annurev-earth-060313-055024.
- Ehlmann, B. L., and J. Buz (2015), Mineralogy and fluvial history of the watersheds of Gale, Knobel, and Sharp craters: A regional context for the Mars Science Laboratory Curiosity's exploration, *Geophys Res Lett*, 42(2), 264-273, doi: 10.1002/2014gl062553.

- Ehlmann, B. L., J. F. Mustard, S. L. Murchie, J. P. Bibring, A. Meunier, A. A. Fraeman, and Y. Langevin (2011), Subsurface water and clay mineral formation during the early history of Mars, *Nature*, 479(7371), 53-60, doi: 10.1038/nature10582.
- Ehlmann, B. L., J. F. Mustard, C. I. Fassett, S. C. Schon, J. W. Head Iii, D. J. Des Marais, J. A. Grant, and S. L. Murchie (2008a), Clay minerals in delta deposits and organic preservation potential on Mars, *Nat Geosci*, 1(6), 355-358, doi: 10.1038/ngeo207.
- Ehlmann, B. L., et al. (2008b), Orbital identification of carbonate-bearing rocks on Mars, *Science*, 322(5909), 1828-1832, doi: 10.1126/science.1164759.
- Engel, A. E., S. P. Itson, C. G. Engel, D. M. Stickney, and E. J. Cray (1974), Crustal Evolution and Global Tectonics: A Petrogenic View, *Geological Society of America Bulletin*, 85, 842-858.
- Evamy, B. (1969), The precipitational environment and correlation of some calcite cements deduced from artificial staining, *Journal of Sedimentary Research*, 39(2), 787-793.
- Fairchild, I. J., G. Einsele, and T. R. Song (1997), Possible seismic origin of molar tooth structures in Neoproterozoic carbonate ramp deposits, north China, *Sedimentology*, 44(4), 611-636, doi: 10.1046/j.1365-3091.1997.d01-40.x.
- Falkowski, P. G., and Y. Isozaki (2008), The Story of O₂, *Science*, 322(5901), 540-542, doi: 10.1126/science.1162641.
- Farley, K. A., et al. (2014), In Situ Radiometric and Exposure Age Dating of the Martian Surface, *Science*, 343(6169), doi: 10.1126/science.1247166.
- Fassett, C. I., and J. W. Head (2005), Fluvial sedimentary deposits on Mars: Ancient deltas in a crater lake in the Nili Fossae region, *Geophys Res Lett*, 32(14), doi: 10.1029/2005gl023456.
- Fedo, C. M., H. W. Nesbitt, and G. M. Young (1995), Unraveling the Effects of Potassium Metasomatism in Sedimentary-Rocks and Paleosols, with Implications for Paleoweathering Conditions and Provenance, *Geology*; *Geology*, 23(10), 921-924, doi: 10.1130/0091-7613(1995)023<0921:Uteopm>2.3.Co;2.
- Fedo, C. M., G. M. Grant, and H. W. Nesbitt (1997), Paleoclimatic control on the composition of the Paleoproterozoic Serpent Formation, Huronian Supergroup, Canada: a greenhouse to icehouse transition, *Precambrian Res*, 86(3-4), 201-223, doi: 10.1016/S0301-9268(97)00049-1.
- Fedo, C. M., K. N. Sircombe, and R. H. Rainbird (2003), Detrital Zircon Analysis of the Sedimentary Record, *Reviews in Mineralogy and Geochemistry*, 53(1), 277-303, doi: 10.2113/0530277.

- Fedo, C. M., I. O. McGlynn, and H. Y. McSween (2015), Grain size and hydrodynamic sorting controls on the composition of basaltic sediments: Implications for interpreting martian soils, *Earth Planet Sc Lett*, 423, 67-77, doi: 10.1016/j.epsl.2015.03.052.
- Ferguson, R. L., P. R. Christensen, M. P. Golombek, and T. J. Parker (2012), Surface Properties of the Mars Science Laboratory Candidate Landing Sites: Characterization from Orbit and Predictions, *Space Sci Rev*, 170(1-4), 739-773, doi: 10.1007/s11214-012-9891-3.
- Ferguson, R., T. Hoey, S. Wathen, and A. Werritty (1996), Field evidence for rapid downstream fining of river gravels through selective transport, *Geology; Geology*, 24(2), 179-182, doi: 10.1130/0091-7613(1996)024<0179:Fefrfd>2.3.Co;2.
- Filiberto, J., and A. H. Treiman (2009), Martian magmas contained abundant chlorine, but little water, *Geology; Geology*, 37(12), 1087-1090, doi: 10.1130/g30488a.1.
- Fischer, W. F. (2016), pers. communication., edited.
- Fraeman, A. A., et al. (2013), A hematite-bearing layer in Gale Crater, Mars: Mapping and implications for past aqueous conditions, *Geology; Geology*, 41(10), 1103-1106, doi: 10.1130/g34613.1.
- Frank, T. D., and T. W. Lyons (1998), "Molar-tooth" structures: A geochemical perspective on a Proterozoic enigma, *Geology; Geology*, 26(8), 683-686, doi: 10.1130/0091-7613(1998)026<0683:Mtsagp>2.3.Co;2.
- Frihy, O. E. (1994), Discrimination of Accreted and Eroded Coasts Using Heavy Mineral Compositions of the Nile Delta Beach Sands, Egypt, *Sedimentology*, 41(5), 905-912, doi: 10.1111/j.1365-3091.1994.tb01431.x.
- Frihy, O. E., M. F. Lotfy, and P. D. Komar (1995), Spatial Variations in Heavy Minerals and Patterns of Sediment Sorting Along the Nile Delta, Egypt, *Sedimentary Geology*, 97(1-2), 33-41, doi: 10.1016/0037-0738(94)00135-H.
- Furniss, G., J. F. Rittel, and D. Winston (1998), Gas bubble and expansion crack origin of "molar-tooth" calcite structures in the Middle Proterozoic Belt Supergroup, western Montana, *Journal of Sedimentary Research*, 68(1), 104-114.
- Garzanti, E., S. Andò, and G. Vezzoli (2008), Settling equivalence of detrital minerals and grain-size dependence of sediment composition, *Earth Planet Sc Lett*, 273(1-2), 138-151, doi: 10.1016/j.epsl.2008.06.020.
- Gast, P. W. (1968), Trace Element Fractionation and the Origin of Tholeiitic and Alkaline Magma Types, *Geochim Cosmochim Ac*, 32, 1057-1086.

- Gellert, R., and B. C. Clark (2015), In Situ Compositional Measurements of Rocks and Soils with the Alpha Particle X-ray Spectrometer on Nasa's Mars Rovers, *Elements*, *11*(1), 39-44, doi: 10.2113/gselements.11.1.39.
- Gellert, R., J. L. Campbell, K. P. L., L. A. Leshin, G. W. Lugmair, J. G. Spray, S. W. Squyres, and A. S. Yen (2009), The Alpha-Particle-X-ray-Spectrometer (APXS) for the Mars Science Laboratory (MSL) Rover Mission, paper presented at 40th Lunar and Planetary Science Conference, LPI, Houston, TX, Abs. #2364.
- Gellert, R., et al. (2006), Alpha Particle X-Ray Spectrometer (APXS): Results from Gusev crater and calibration report, *J Geophys Res*, *111*(E2), doi: 10.1029/2005je002555.
- Golden, D. C., D. W. Ming, R. V. Morris, and S. A. Mertzman (2005), Laboratory-simulated acid-sulfate weathering of basaltic materials: Implications for formation of sulfates at Meridiani Planum and Gusev crater, Mars, *J Geophys Res*, *110*(E12), doi: 10.1029/2005je002451.
- Goldspiel, J. M., and S. W. Squyres (1991), Ancient Aqueous Sedimentation on Mars, *Icarus*, *89*(2), 392-410, doi: 10.1016/0019-1035(91)90186-W.
- Golombek, M. P., W. B. Banerdt, K. L. Tanaka, and D. M. Tralli (1992), A prediction of Mars seismicity from surface faulting, *Science*, *258*(5084), 979-981, doi: 10.1126/science.258.5084.979.
- Gross, J., A. H. Treiman, J. Filiberto, and C. D. K. Herd (2011), Primitive olivine-phyric shergottite NWA 5789: Petrography, mineral chemistry, and cooling history imply a magma similar to Yamato-980459, *Meteoritics & Planetary Science*, no-no, doi: 10.1111/j.1945-5100.2010.01152.x.
- Grotzinger, J., and R. Milliken (2012), *The Sedimentary Rock Record of Mars: Distribution, Origins, and Global Stratigraphy*.
- Grotzinger, J., et al. (2005), Stratigraphy and sedimentology of a dry to wet eolian depositional system, Burns formation, Meridiani Planum, Mars, *Earth Planet Sc Lett*, *240*(1), 11-72, doi: 10.1016/j.epsl.2005.09.039.
- Grotzinger, J., et al. (2012), Mars Science Laboratory Mission and Science Investigation, *Space Sci Rev*, *170*(1-4), 5-56, doi: 10.1007/s11214-012-9892-2.
- Grotzinger, J. P., et al. (2015), Deposition, exhumation, and paleoclimate of an ancient lake deposit, Gale crater, Mars, *Science*, *350*(6257), aac7575, doi: 10.1126/science.aac7575.
- Grotzinger, J. P., et al. (2014), A habitable fluvio-lacustrine environment at Yellowknife Bay, Gale crater, Mars, *Science*, *343*(6169), 1242777, doi: 10.1126/science.1242777.

- Grover, G., and J. F. Read (1983), Paleoaquifer and Deep Burial Related Cements Defined by Regional Cathodoluminescent Patterns, Middle Ordovician Carbonates, Virginia, *Aapg Bull*, 67(8), 1275-1303.
- Halley, R. B., and J. W. Schmoker (1983), High-Porosity Cenozoic Carbonate Rocks of South Florida - Progressive Loss of Porosity with Depth, *Aapg Bull*, 67(2), 191-200.
- Hartmann, W. K., and G. Neukum (2001), Cratering Chronology and the Evolution of Mars, *Space Sci Rev*, 96(1-4), 165-194, doi: 10.1023/A:1011945222010.
- Head, J. W., H. Hiesinger, M. A. Ivanov, M. A. Kreslavsky, S. Pratt, and B. J. Thomson (1999), Possible Ancient Oceans on Mars: Evidence from Mars Orbiter Laser Altimeter Data, *Science*, 286(5447), 2134-2137, doi: 10.1126/science.286.5447.2134.
- Hodges, K. V. (2005), ⁴⁰Ar/³⁹Ar Thermochronology of Detrital Minerals, *Reviews in Mineralogy and Geochemistry*, 58(1), 239-257, doi: 10.2138/rmg.2005.58.9.
- Hoek, J. D. (1991), A classification of dyke-fracture geometry with examples from Precambrian dyke swarms in the Vestfold Hills, Antarctica, *Geologische-Rundschau*, 80(2), 233-248, doi: 10.1007/Bf01829363.
- Horodyski, R. J. (1976), Stromatolites of the upper Siyeh limestone (middle proterozoic), belt supergroup, Glacier National Park, Montana, *Precambrian Res*, 3(6), 517-536.
- Hughes, M. G., J. B. Keene, and R. G. Joseph (2000), Hydraulic sorting of heavy-mineral grains by swash on a medium-sand beach, *Journal of Sedimentary Research*, 70(5), 994-1004, doi: 10.1306/112599700994.
- Hurowitz, J., et al. (2016), Dynamic Geochemical Conditions Recorded by Lakebed Mudstones in Gale Crater, Mars, paper presented at 47th Lunar and Planetary Science Conference, LPI, Houston, TX, Abs. #1751.
- Hurowitz, J. A., W. W. Fischer, N. J. Tosca, and R. E. Milliken (2010), Origin of acidic surface waters and the evolution of atmospheric chemistry on early Mars, *Nat Geosci*, 3(5), 323-326, doi: 10.1038/ngeo831.
- Jakosky, B. M. (1991), Mars Volatile Evolution - Evidence from Stable Isotopes, *Icarus*, 94(1), 14-31, doi: 10.1016/0019-1035(91)90138-J.
- Jambor, J. L., D. K. Nordstrom, and C. N. Alpers (2000), Metal-sulfate Salts from Sulfide Mineral Oxidation, *Reviews in Mineralogy and Geochemistry*, 40(1), 303-350, doi: 10.2138/rmg.2000.40.6.
- James, N. P., G. M. Narbonne, and A. G. Sherman (1998), Molar-tooth carbonates: Shallow subtidal facies of the mid- to late Proterozoic, *Journal of Sedimentary Research*, 68(5), 716-722.

- Jerolmack, D. J., and D. Mohrig (2007), Conditions for branching in depositional rivers, *Geology*; *Geology*, 35(5), 463-466, doi: 10.1130/G23308a.1.
- Jerolmack, D. J., D. Mohrig, M. T. Zuber, and S. Byrne (2004), A minimum time for the formation of Holden Northeast fan, Mars, *Geophys Res Lett*, 31(21), doi: 10.1029/2004gl021326.
- Johnsson, M. J., and A. Basu (1993), *Processes controlling the composition of clastic sediments*, Geological Society of America.
- Kah, L. C., R. E. Kroynak, D. W. Ming, J. P. Grotzinger, J. Schieber, D. Sumner, and K. Edgett (2015), Diagenetic Crystal Growth in the Murray Formation, Gale Crater, Mars, paper presented at Geological Society of America Baltimore, MD, 267.
- Kaufman, J., H. S. Cander, L. D. Daniels, and W. J. Meyers (1988), Calcite Cement Stratigraphy and Cementation History of the Burlington-Keokuk Formation (Mississippian), Illinois and Missouri, *Journal of Sedimentary Petrology*, 58(2), 312-326.
- Kirk, R. L., et al. (2008), Ultrahigh resolution topographic mapping of Mars with MRO HiRISE stereo images: Meter-scale slopes of candidate Phoenix landing sites, *J Geophys Res*, 113, doi: 10.1029/2007je003000.
- Kite, E. S., K. W. Lewis, M. P. Lamb, C. E. Newman, and M. I. Richardson (2013), Growth and form of the mound in Gale Crater, Mars: Slope wind enhanced erosion and transport, *Geology*; *Geology*, 41(5), 543-546, doi: 10.1130/G33909.1.
- Knipe, R. (1992), Faulting processes and fault seal, *Structural and tectonic modelling and its application to petroleum geology: Norwegian Petroleum Society Special Publication*, 1, 325-342.
- Knoll, A. H., and J. Grotzinger (2006), Water on Mars and the prospect of Martian life, *Elements*, 2(3), 169-173, doi: 10.2113/gselements.2.3.169.
- Komar, P. D. (2007), The Entrainment, Transport, and Sorting of Heavy Minerals by Waves and Currents, in *Heavy Minerals in Use*, edited by M. T. Mange and D. T. Wright, pp. 3-48, Elsevier, Italy.
- Kroynak, R. E., L. C. Kah, J. P. Grotzinger, M. Fisk, D. Sumner, M. Nachon, N. Mangold, D. Blaney, W. Rapin, and R. Wiens (2015), Garden City: A complex vein system observed by the Curiosity rover at Pahrump Hills, Gale Crater, Mars, paper presented at Geological Society of America, Baltimore, MD, 217.
- Kuhlmann, G., P. L. de Boer, R. B. Pedersen, and T. E. Wong (2004), Provenance of Pliocene sediments and paleoenvironmental changes in the southern North Sea region using Samarium–Neodymium (Sm/Nd) provenance ages and clay mineralogy, *Sedimentary Geology*, 171(1-4), 205-226, doi: 10.1016/j.sedgeo.2004.05.016.

- Lachenbruch, A. H. (1962), Mechanics of thermal contraction cracks and ice-wedge polygons in permafrost, *Geological Society of America Special Papers*, 70, 1-66.
- Lachenbruch, A. H. (1963), Contraction Theory of Ice-Wedge Polygons: A Qualitative Discussion, in *Permafrost International Conference*, edited, pp. 63-70, National Academy of Sciences, Lafayette, Indiana.
- Langmuir, C. H., R. D. Vocke, G. N. Hanson, and S. R. Hart (1978), A General Mixing Equation with Applications to Icelandic Basalts, *Earth Planet Sc Lett*, 37, 380-392.
- Lanza, N. L., et al. (submitted), Oxidation of Manganese in an Ancient Aquifer, Kimberley Formation, Gale Crater, Mars, *Nature*.
- Lasue, J., et al. (2016), Observation of > 5 wt % zinc at the Kimberley outcrop, Gale crater, Mars, *Journal of Geophysical Research: Planets*, 121(3), 338-352, doi: 10.1002/2015je004946.
- Léveillé, R. J., et al. (2014), Chemistry of fracture-filling raised ridges in Yellowknife Bay, Gale Crater: Window into past aqueous activity and habitability on Mars, *J Geophys Res-Planet*, 119(11), 2398-2415, doi: 10.1002/2014je004620.
- Long, J. C. S., et al. (1996), *Rock Fractures and Fluid Flow: Contemporary Understanding and Applications*, 551 pp., National Academy Press, Washington, D. C.
- Longman, M. W. (1980), Carbonate Diagenetic Textures from Nearsurface Diagenetic Environments, *Aapg Bull*, 64(4), 461-487.
- Mackie, W. (1923), The Principles that Regulate the Distribution of Particles of Heavy Minerals in Sedimentary Rocks, as illustrated by the Sandstones of the North-East of Scotland, *Trans. Edinburgh Geol. Soc.*, 11, 138-164.
- Maki, J., D. Thiessen, A. Pourangi, P. Kobzeff, T. Litwin, L. Scherr, S. Elliott, A. Dingizian, and M. Maimone (2012), The Mars Science Laboratory Engineering Cameras, *Space Sci Rev*, 170(1-4), 77-93, doi: 10.1007/s11214-012-9882-4.
- Malin, M., M. Caplinger, K. Edgett, F. Ghaemi, M. Ravine, J. Schaffner, J. Baker, J. Bardis, D. DiBiase, and J. Maki (2010), The Mars Science Laboratory (MSL) mast-mounted cameras (Mastcams) flight instruments, paper presented at 41st Lunar and Planetary Science Conference, LPI, Houston, TX, Abs. #1123.
- Malin, M. C., and K. S. Edgett (2000), Sedimentary rocks of early Mars, *Science*, 290(5498), 1927-1937, doi: 10.1126/science.290.5498.1927.
- Malin, M. C., and K. S. Edgett (2003), Evidence for persistent flow and aqueous sedimentation on early Mars, *Science*, 302(5652), 1931-1934, doi: 10.1126/science.1090544.

- Manda, A. K., and M. R. Gross (2006), Estimating aquifer-scale porosity and the REV for karst limestones using GIS-based spatial analysis, *Geol S Am S*, 404, 177-189, doi: 10.1130/2006.2404(15).
- Mangold, N., D. Baratoux, O. Arnalds, J. M. Bardintzeff, B. Platevoet, M. Grégoire, and P. Pinet (2011), Segregation of olivine grains in volcanic sands in Iceland and implications for Mars, *Earth Planet Sc Lett*, 310(3-4), 233-243, doi: 10.1016/j.epsl.2011.07.025.
- Mangold, N., et al. (2016), Composition of conglomerates analyzed by the Curiosity rover: Implications for Gale Crater crust and sediment sources, *J Geophys Res-Planet*, 121(3), 353-387, doi: 10.1002/2015je004977.
- Marshall, D., and C. D. Anglin (2004), CO₂-clathrate destabilization: a new model of formation for molar tooth structures, *Precambrian Res*, 129(3-4), 325-341, doi: 10.1016/j.precamres.2003.10.007.
- Mattson, S., R. Kirk, R. Heyd, A. McEwen, E. Eliason, T. Hare, R. Beyer, E. Howington-Kraus, C. H. Okubo, and K. Herkenhoff (2011), Release of HiRISE Digital Terrain Models to the Planetary Data System, paper presented at 42nd Lunar and Planetary Science Conference, LPI, Houston, TX, Abs. #1558.
- McCauley, J. F. (1973), Mariner 9 evidence for wind erosion in the equatorial and mid-latitude regions of Mars, *J Geophys Res*, 78(20), 4123-4137, doi: 10.1029/JB078i020p04123.
- McCauley, J. F., M. H. Carr, J. A. Cutts, W. K. Hartmann, H. Masursky, D. J. Milton, R. P. Sharp, and D. E. Wilhelms (1972), Preliminary Mariner 9 report on the geology of Mars, *Icarus*, 17(2), 289-327.
- McEwen, A. S., et al. (2007a), Mars Reconnaissance Orbiter's High Resolution Imaging Science Experiment (HiRISE), *J Geophys Res*, 112(E5), doi: 10.1029/2005je002605.
- McEwen, A. S., et al. (2007b), A closer look at water-related geologic activity on Mars, *Science*, 317(5845), 1706-1709, doi: 10.1126/science.1143987.
- McLennan, S., and J. Grotzinger (2008a), The sedimentary rock cycle of Mars, *The Martian Surface-Composition, Mineralogy, and Physical Properties*, 1, 541.
- McLennan, S. M. (2001), Relationships between the trace element composition of sedimentary rocks and upper continental crust, *Geochemistry Geophysics Geosystems*, 2.
- McLennan, S. M. (2012), Geochemistry of Sedimentary Processes on Mars, in *Sedimentary Geology of Mars*, edited by J. Grotzinger and R. Milliken, p. 270, SEPM, Tulsa, Oklahoma.

- McLennan, S. M., and J. Grotzinger (2008b), The Sedimentary Rock Cycle of Mars, in *The Martian Surface: Composition, Mineralogy, and Physical Properties*, edited by J. F. Bell, pp. 541-577, Cambridge University Press.
- McLennan, S. M., S. R. Taylor, M. T. McCulloch, and J. B. Maynard (1990), Geochemical and Nd-Sr Isotopic Composition of Deep-Sea Turbidites - Crustal Evolution and Plate Tectonic Associations, *Geochim Cosmochim Acta*, 54(7), 2015-2050, doi: 10.1016/0016-7037(90)90269-Q.
- McLennan, S. M., S. Hemming, D. K. McDaniel, and G. N. Hansen (1993), Geochemical approaches to sedimentation, provenance, and tectonics, *Geological Society of America Special Papers*, 284, 21-40, doi: 10.1130/SPE284-p21.
- McLennan, S. M., B. Bock, S. R. Hemming, J. A. Hurowitz, S. M. Lev, and D. K. McDaniel (2003), The roles of provenance and sedimentary processes in the geochemistry of sedimentary rocks, in *Geochemistry of Sediments and Sedimentary Rocks: Evolutionary Considerations to Mineral Deposit-Forming Environments*, edited by D. R. Lentz, pp. 7-38, Geological Association of Canada: GeoText.
- McLennan, S. M., E. Dehouck, J. P. Grotzinger, J. A. Hurowitz, N. Mangold, and K. Siebach (2015), Geochemical Record of Open-System Chemical Weathering at Gale Crater and Implications for Paleoclimates on Mars, paper presented at 46th Lunar and Planetary Science Conference, LPI, Houston, TX, Abs. #2533.
- McLennan, S. M., et al. (2005), Provenance and diagenesis of the evaporite-bearing Burns formation, Meridiani Planum, Mars, *Earth Planet Sc Lett*, 240(1), 95-121, doi: 10.1016/j.epsl.2005.09.041.
- McLennan, S. M., et al. (2014), Elemental Geochemistry of Sedimentary Rocks at Yellowknife Bay, Gale Crater, Mars, *Science*, 343(6169), doi: 10.1126/science.1244734.
- Meyers, W. J. (1974), Carbonate cement stratigraphy of the Lake Valley Formation (Mississippian) Sacramento Mountains, New Mexico, *Journal of Sedimentary Research*, 44(3), 837-861.
- Meyers, W. J. (1991), Calcite cement stratigraphy: an overview. SEPM Short Course, 25, pp. 133-148.
- Meyers, W. J., and K. C. Lohmann (1985), Isotope geochemistry of regionally extensive calcite cement zones and marine components in Mississippian limestones, New Mexico, in *Carbonate Cements*, edited by N. Schneidermann and P. M. Harris, pp. 223-239, Soc. Econ. Pal. Min. Sp. Pub. 36.
- Milliken, R. E., J. P. Grotzinger, and B. J. Thomson (2010), Paleoclimate of Mars as captured by the stratigraphic record in Gale Crater, *Geophys Res Lett*, 37(4), doi: 10.1029/2009gl041870.

- Ming, D. W., et al. (2014), Volatile and Organic Compositions of Sedimentary Rocks in Yellowknife Bay, Gale Crater, Mars, *Science*, 343(6169), doi: 10.1126/science.1245267.
- Mitchener, H., and H. Torfs (1996), Erosion of mud/sand mixtures, *Coastal Engineering*, 29(1-2), 1-25, doi: 10.1016/S0378-3839(96)00002-6.
- Moratto, Z., M. Broxton, R. Beyer, M. Lundy, and K. Husmann (2010), Ames Stereo Pipeline, NASA's open source automated stereogrammetry software, paper presented at 41st Lunar and Planetary Science Conference, LPI, Houston, TX, Abs. #2364.
- Morris, R., et al. (2014), The Amorphous Component in Martian Basaltic Soil in Global Perspective from MSL and MER Missions, paper presented at 45th Lunar and Planetary Science Conference, LPI, Houston, TX, Abs. #1319.
- Morris, R. V., et al. (submitted), Silicic volcanism on Mars evidenced by tridymite in high-SiO₂ sedimentary rock at Gale crater, *PNAS*.
- Morrison, S. M., et al. (2015), Crystal-Chemical Analysis of Martian Minerals in Gale Crater, paper presented at 46th Lunar and Planetary Science Conference, LPI, Houston, Abs. #2506.
- Murchie, S. L., et al. (2009), A synthesis of Martian aqueous mineralogy after 1 Mars year of observations from the Mars Reconnaissance Orbiter, *J Geophys Res*, 114, doi: 10.1029/2009je003342.
- Murray, B. C., L. A. Soderblom, J. A. Cutts, R. P. Sharp, D. J. Milton, and R. B. Leighton (1972), Geological Framework of the South Polar Region of Mars, *Icarus*, 17(2), 328-345.
- Mustard, J. F., F. Poulet, B. L. Ehlmann, R. Milliken, and A. Fraeman (2012), Sequestration of Volatiles in the Martian Crust through Hydrated Minerals: A Significant Planetary Reservoir of Water, paper presented at 43rd Lunar and Planetary Science Conference, LPI, Houston, TX, Abs. #1539.
- Mustard, J. F., et al. (2008), Hydrated silicate minerals on Mars observed by the Mars Reconnaissance Orbiter CRISM instrument, *Nature*, 454(7202), 305-309, doi: 10.1038/nature07097.
- Nachon, M., et al. (2014), Calcium sulfate veins characterized by ChemCam/Curiosity at Gale crater, Mars, *J Geophys Res-Planet*, 119(9), 1991-2016, doi: 10.1002/2013je004588.
- NASA-JPL (2013), Mars Science Laboratory Project Software Interface Specification (SIS), Mast Camera (Mastcam), Mars Hand Lens Imager (MAHLI), and Mars Descent

Imager (MARDI) Experiment Data Record (EDR) and Reduced Data Record (RDR) PDS Data Products, edited.

Nelson, E. P., A. J. Kullman, M. H. Gardner, and M. Batzle (1999), Fault-Fracture Networks and Related Fluid Flow and Sealing, Brushy Canyon Formation, West Texas, in *Faults and Subsurface Fluid Flow in the Shallow Crust*, edited by W. C. Haneburg, P. S. Mozley, J. C. Moore and L. B. Goodwin, pp. 69-81, American Geophysical Union.

Nesbitt, H. W. (2003), Petrogenesis of siliciclastic sediments and sedimentary rocks, in *Geochemistry of Sediments and Sedimentary Rocks: Evolutionary Considerations to Mineral Deposit-Forming Environments*, edited by D. R. Lentz, pp. 39-51, Geological Association of Canada.

Nesbitt, H. W., and G. M. Young (1982), Early Proterozoic Climates and Plate Motions Inferred from Major Element Chemistry of Lutites, *Nature*, 299(5885), 715-717, doi: 10.1038/299715a0.

Nesbitt, H. W., and G. M. Young (1984), Prediction of Some Weathering Trends of Plutonic and Volcanic-Rocks Based on Thermodynamic and Kinetic Considerations, *Geochim Cosmochim Acta*, 48(7), 1523-1534, doi: 10.1016/0016-7037(84)90408-3.

Nesbitt, H. W., and R. E. Wilson (1992), Recent Chemical Weathering of Basalts, *American Journal of Science*, 292(10), 740-777.

Nesbitt, H. W., and G. M. Young (1996), Petrogenesis of sediments in the absence of chemical weathering: Effects of abrasion and sorting on bulk composition and mineralogy, *Sedimentology*, 43(2), 341-358, doi: 10.1046/j.1365-3091.1996.d01-12.x.

Nesbitt, H. W., G. M. Young, S. M. McLennan, and R. R. Keays (1996), Effects of Chemical Weathering and Sorting on the Petrogenesis of Siliciclastic Sediments, with Implications for Provenance Studies, *The Journal of Geology*, 104(5), 525-542, doi: 10.1086/629850.

Newsom, H. E., et al. (2016), The Materials at an Unconformity between the Murray and Stimson Formations at Marias Pass, Gale Crater, Mars, paper presented at 47th Lunar and Planetary Science Conference LPI, Houston, TX, Abs. #2397.

O'Brien, N. R. (1996), Shale lamination and sedimentary processes, *Geological Society, London, Special Publications*, 116(1), 23-26, doi: 10.1144/GSL.SP.1996.116.01.04.

O'Connor, M. P. (1972), Classification and Environmental Interpretation of the Cryptalgal Organosedimentary "MolarTooth" Structure from the Late Precambrian Belt-Purcell Supergroup, *The Journal of Geology*, 80(5), 592-610.

- Ohta, T. (2004), Geochemistry of Jurassic to earliest Cretaceous deposits in the Nagato Basin, SW Japan: implication of factor analysis to sorting effects and provenance signatures, *Sedimentary Geology*, 171(1-4), 159-180, doi: 10.1016/j.sedgeo.2004.05.014.
- Okubo, C. H., and A. S. McEwen (2007), Fracture-controlled paleo-fluid flow in Candor Chasma, Mars, *Science*, 315(5814), 983-985, doi: 10.1126/science.1136855.
- Olson, J. E., S. E. Laubach, and R. H. Lander (2009), Natural fracture characterization in tight gas sandstones: Integrating mechanics and diagenesis, *AAPG Bulletin*, 93(11), 1535-1549, doi: 10.1306/08110909100.
- Palmer, M. R., and J. M. Edmond (1989), The strontium isotope budget of the modern ocean, *Earth Planet Sc Lett*, 92(1), 11-26, doi: 10.1016/0012-821x(89)90017-4.
- Palucis, M. C., W. E. Dietrich, A. G. Hayes, R. M. E. Williams, S. Gupta, N. Mangold, H. Newsom, C. Hardgrove, F. Calef, and D. Y. Sumner (2014), The origin and evolution of the Peace Vallis fan system that drains to the Curiosity landing area, Gale Crater, Mars, *J Geophys Res-Planet*, 119(4), 705-728, doi: 10.1002/2013je004583.
- Papike, J. J., J. M. Karner, C. K. Shearer, and P. V. Burger (2009), Silicate mineralogy of martian meteorites, *Geochim Cosmochim Acta*, 73(24), 7443-7485, doi: 10.1016/j.gca.2009.09.008.
- Parker, T. J., M. C. Malin, F. J. Calef, R. G. Deen, H. E. Gengl, M. P. Golombek, J. R. Hall, O. Pariser, M. Powell, and R. S. Sletten (2013), Localization and 'Contextualization' of Curiosity in Gale Crater, and Other Landed Mars Missions, paper presented at 44th Lunar and Planetary Science Conference, LPI, Houston, TX, Abs. #2534.
- Peck, D. L., and T. Minakami (1968), The formation of columnar joints in the upper part of Kilauean lava lakes, Hawaii, *GSA Bulletin*, 79(9), 1151-1166.
- Pettijohn, F. J., and P. E. Potter (1964), *Atlas and glossary of primary sedimentary structures*, 370 pp., Springer-Verlag New York, Germany.
- Plaut, J. J., et al. (2007), Subsurface radar sounding of the south polar layered deposits of Mars, *Science*, 316(5821), 92-95, doi: 10.1126/science.1139672.
- Plummer, P. S., and V. A. Gostin (1981), Shrinkage Cracks - Desiccation or Synaeresis, *Journal of Sedimentary Petrology*, 51(4), 1147-1156.
- Pollock, M. D., L. C. Kah, and J. K. Bartley (2006), Morphology of Molar-Tooth Structures in Precambrian Carbonates: Influence of Substrate Rheology and Implications for Genesis, *Journal of Sedimentary Research*, 76(2), 310-323, doi: 10.2110/jsr.2006.021.

- Poulet, F., et al. (2005), Phyllosilicates on Mars and implications for early martian climate, *Nature*, 438(7068), 623-627, doi: 10.1038/nature04274.
- Pratt, B. R. (1998a), Molar-tooth structure in Proterozoic carbonate rocks: Origin from synsedimentary earthquakes, and implications for the nature and evolution of basins and marine sediment, *Geological Society of America Bulletin*, 110(8), 1028-1045, doi: 10.1130/0016-7606(1998)110<1028:Mtsipc>2.3.Co;2.
- Pratt, B. R. (1998b), Syneresis cracks: subaqueous shrinkage in argillaceous sediments caused by earthquake-induced dewatering, *Sedimentary Geology*, 117(1-2), 1-10, doi: 10.1016/S0037-0738(98)00023-2.
- Press, W. H., S. A. Teukolsky, W. T. Vetterling, and B. P. Flannery (1992), *Numerical Recipes in FORTRAN: The Art of Scientific Computing*, 2nd ed., 963 pp., Cambridge University Press, Cambridge.
- Rampe, E., et al. (2016), Diagenesis in the Murray Formation, Gale Crater, Mars, paper presented at 47th Lunar and Planetary Science Conference, LPI, Houston, TX, Abs. #2543.
- Rampe, E. B., et al. (in prep.), Mineralogical trends in mudstones from the Murray formation, Gale crater, Mars.
- Ramseyer, K., J. E. Amthor, A. Matter, T. Pettke, M. Wille, and A. E. Fallick (2013), Primary silica precipitate at the Precambrian/Cambrian boundary in the South Oman Salt Basin, Sultanate of Oman, *Marine and Petroleum Geology*, 39(1), 187-197, doi: 10.1016/j.marpetgeo.2012.08.006.
- Reid, M. J., A. J. Gancarz, and A. L. Albee (1973), Constrained Least-Squares Analysis of Petrologic Problems with an Application to Lunar Sample 12040, *Earth Planet Sc Lett*, 17(2), 433-445, doi: 10.1016/0012-821x(73)90212-4.
- Rieder, R., T. Economou, H. Wanke, A. Turkevich, J. Crisp, J. Bruckner, G. Dreibus, and H. Y. McSween (1997), The Chemical Composition of Martian Soil and Rocks Returned by the Mobile Alpha Particle X-ray Spectrometer: Preliminary Results from the X-ray Mode, *Science*, 278, 1771.
- Rodriguez-Navarro, C. (1998), Evidence of honeycomb weathering on Mars, *Geophys Res Lett*, 25(17), 3249-3252, doi: 10.1029/98gl02569.
- Rubey, W. W. (1933), The size-distribution of heavy minerals within a water-laid sandstone, *Journal of Sedimentary Petrology*, 3(1), 3-29.
- Russell, R. D. (1937), Mineral composition of Mississippi River sands, *Bulletin of the Geological Society of America*, 48(9/12), 1307-1348.

Santos, A. R., C. B. Agee, F. M. McCubbin, C. K. Shearer, P. V. Burger, R. Tartèse, and M. Anand (2015), Petrology of igneous clasts in Northwest Africa 7034: Implications for the petrologic diversity of the martian crust, *Geochim Cosmochim Acta*, 157, 56-85, doi: 10.1016/j.gca.2015.02.023.

Sarbas, B., and U. Nohl (2008), The GEOROC database as part of a growing geoinformatics network, in *Geoinformatics 2008-Data to Knowledge, Proceedings: U.S. Geological Survey Scientific Investigations Report 2008*, edited by S. R. Brady, A. K. Sinha and L. C. Gundersen, pp. 42-43.

Sautter, V., et al. (2016), Magmatic complexity on early Mars as seen through a combination of orbital, in-situ and meteorite data, *Lithos*, 254-255, 36-52, doi: 10.1016/j.lithos.2016.02.023.

Sautter, V., et al. (2015), In situ evidence for continental crust on early Mars, *Nat Geosci*, 8(8), 605-609, doi: 10.1038/ngeo2474.

Schieber, J., S. Gupta, J. Grotzinger, and R. Suarez-Rivera (2013), Hydraulic Fracturing of Martian Mudstones, paper presented at Geological Society of America, Denver, CO, 39.

Schmidt, M. E., et al. (2014), Geochemical diversity in first rocks examined by the Curiosity Rover in Gale Crater: Evidence for and significance of an alkali and volatile-rich igneous source, *Journal of Geophysical Research: Planets*, 119(1), 64-81, doi: 10.1002/2013je004481.

Schnurrenberger, D., J. Russell, and K. Kelts (2003), Classification of lacustrine sediments based on sedimentary components, *Journal of Paleolimnology*, 29(2), 141-154, doi: 10.1023/A:1023270324800.

Sharp, R. P., and M. C. Malin (1975), Channels on Mars, *Geological Society of America Bulletin*, 86(5), 593-609, doi: 10.1130/0016-7606(1975)86<593:Com>2.0.Co;2.

Sheldon, N. D. (2003), Pedogenesis and geochemical alteration of the Picture Gorge subgroup, Columbia River Basalt, Oregon, *Geological Society of America Bulletin*, 115(11), 1377-1387, doi: 10.1130/B25223.1.

Shorlin, K. A., J. R. de Bruyn, M. Graham, and S. W. Morris (2000), Development and geometry of isotropic and directional shrinkage-crack patterns, *Physical Review E*, 61(6), 6950-6957.

Siebach, K. L., and J. P. Grotzinger (2014a), Volumetric estimates of ancient water on Mount Sharp based on boxwork deposits, Gale Crater, Mars, *Journal of Geophysical Research: Planets*, 119(1), 189-198, doi: 10.1002/2013je004508.

- Siebach, K. L., and J. P. Grotzinger (2014b), Characterizing Sandstone Porosity along Curiosity's Traverse using MAHLI Imagery, paper presented at Eighth International Conference on Mars, Pasadena, CA, 1466.
- Siebach, K. L., M. B. Baker, J. P. Grotzinger, S. M. McLennan, R. Gellert, and J. A. Hurowitz (in prep.), Sorting out Compositional Trends in Sedimentary Rocks of the Bradbury Group (Aeolus Palus), Gale Crater, Mars, *J Geophys Res*.
- Siebach, K. L., J. P. Grotzinger, L. C. Kah, K. M. Stack, M. Malin, R. Leveille, and D. Y. Sumner (2014), Subaqueous shrinkage cracks in the Sheepbed mudstone: Implications for early fluid diagenesis, Gale crater, Mars, *J Geophys Res-Planet*, 119(7), 1597-1613, doi: 10.1002/2014je004623.
- Slatt, R. M., and N. Eyles (1981), Petrology of Glacial Sand - Implications for the Origin and Mechanical Durability of Lithic Fragments, *Sedimentology*, 28(2), 171-183, doi: 10.1111/j.1365-3091.1981.tb01675.x.
- Sletten, R. S., B. Hallet, and R. C. Fletcher (2003), Resurfacing time of terrestrial surfaces by the formation and maturation of polygonal patterned ground, *J Geophys Res*, 108(E4), doi: 10.1029/2002je001914.
- Slingerland, R. L. (1977), The Effects of Entrainment on the Hydraulic Equivalence Relationships of Light and Heavy Minerals, *Journal of Sedimentary Petrology*, 47, 753-770.
- Smith, A. G. (1968), The Origin and Deformation of Some "Molar-Tooth" Structures in the Precambrian Belt-Purcell Supergroup, *The Journal of Geology*, 76(4), 426-443.
- Smith, D. E., G. A. Neumann, R. E. Arvidson, E. Guinness, and S. Slavney (2003), Mars Global Surveyor laser altimeter initial experiment gridded data record (MGS-M-MOLA), 5-MEGDR-L3-V1.0, edited, NASA Planetary Data System (PDS), Greenbelt, MD.
- Soderblom, L. A., M. C. Malin, J. A. Cutts, and B. C. Murray (1973), Mariner 9 observations of the surface of Mars in the north polar region, *J Geophys Res*, 78(20), 4197-4210, doi: 10.1029/JB078i020p04197.
- Squyres, S. W., et al. (2004), In situ evidence for an ancient aqueous environment at Meridiani Planum, Mars, *Science*, 306(5702), 1709-1714, doi: 10.1126/science.1104559.
- Stack, K. M., et al. (2014), Diagenetic origin of nodules in the Sheepbed member, Yellowknife Bay formation, Gale crater, Mars, *J Geophys Res-Planet*, 119(7), 1637-1664, doi: 10.1002/2014je004617.
- Stolper, E. M., et al. (2013), The petrochemistry of Jake_M: a martian mugearite, *Science*, 341(6153), 1239463, doi: 10.1126/science.1239463.

Stumm, W., and J. J. Morgan (2012), *Aquatic chemistry: chemical equilibria and rates in natural waters*, John Wiley & Sons.

Szabo, T., G. Domokos, J. P. Grotzinger, and D. J. Jerolmack (2015), Reconstructing the transport history of pebbles on Mars, *Nature communications*, 6, 8366, doi: 10.1038/ncomms9366.

Tanaka, K. L., J. A. Skinner, J. M. Dohm, R. P. Irwin, E. J. Kolb, C. M. Fortezzo, T. Platz, G. G. Michael, and T. M. Hare (2014), Geologic map of Mars, doi: 10.3133/sim3292.

Taylor, S. M., and S. M. McLennan (2009), *Planetary Crusts: Their Composition, Origin, and Evolution*, Cambridge University Press.

Taylor, S. R., and S. M. McLennan (1995), The Geochemical Evolution of the Continental-Crust, *Rev Geophys*, 33(2), 241-265, doi: 10.1029/95rg00262.

Team, R. (1997), Characterization of the Martian Surface Deposits by the Mars Pathfinder Rover, Sojourner, *Science*, 278(5344), 1765-1768, doi: 10.1126/science.278.5344.1765.

Terzaghi, K. (1944), *Theoretical Soil Mechanics*, 510 pp., London.

Therriault, A. M., A. D. Fowler, and R. A. F. Grieve (2002), The Sudbury Igneous Complex: A Differentiated Impact Melt Sheet, *Economic Geology*, 97(7), 1521-1540, doi: 10.2113/gsecongeo.97.7.1521.

Thomson, B. J., and N. Bridges (2008), Gale Crater: Context and layer diversity from HiRISE Images, paper presented at Third Mars Science Laboratory Landing Site Workshop, Monrovia, CA.

Thomson, B. J., N. T. Bridges, R. Milliken, A. Baldrige, S. J. Hook, J. K. Crowley, G. M. Marion, C. R. de Souza, A. J. Brown, and C. M. Weitz (2011), Constraints on the origin and evolution of the layered mound in Gale Crater, Mars using Mars Reconnaissance Orbiter data, *Icarus*, 214(2), 413-432, doi: 10.1016/j.icarus.2011.05.002.

Tosca, N. J. (2004), Acid-sulfate weathering of synthetic Martian basalt: The acid fog model revisited, *J Geophys Res*, 109(E5), doi: 10.1029/2003je002218.

Tosca, N. J., A. H. Knoll, and S. M. McLennan (2008), Water activity and the challenge for life on early Mars, *Science*, 320(5880), 1204-1207, doi: 10.1126/science.1155432.

Tosca, N. J., F. A. Macdonald, J. V. Strauss, D. T. Johnston, and A. H. Knoll (2011), Sedimentary talc in Neoproterozoic carbonate successions, *Earth Planet Sc Lett*, 306(1-2), 11-22, doi: 10.1016/j.epsl.2011.03.041.

- Treiman, A. H., et al. (2015), Mineralogy, Provenance, and Diagenesis of a Potassic Basaltic Sandstone on Mars: CheMin X-ray Diffraction of the Windjana Sample (Kimberley Area, Gale Crater), *Journal of Geophysical Research: Planets*, doi: 10.1002/2015je004932.
- Tucker, E. (2009), *Sedimentary Petrology: An Introduction to the Origin of Sedimentary Rocks*, Wiley.
- VanBommel, S. J., R. Gellert, J. A. Berger, J. L. Campbell, L. M. Thompson, K. S. Edgett, M. J. McBride, M. E. Minitti, I. Pradler, and N. I. Boyd (2016), Deconvolution of distinct lithology chemistry through oversampling with the Mars Science Laboratory Alpha Particle X-Ray Spectrometer, *X-Ray Spectrometry*, 45(3), 155-161, doi: 10.1002/xrs.2681.
- Vaniman, D., et al. (2014), Mineralogy of a Mudstone at Yellowknife Bay, Gale Crater, Mars, *Science*, 343(6169), doi: 10.1126/science.1243480.
- Vaniman, D. T., D. L. Bish, S. J. Chipera, C. I. Fialips, J. W. Carey, and W. C. Feldman (2004), Magnesium sulphate salts and the history of water on Mars, *Nature*, 431(7009), 663-665, doi: 10.1038/nature02973.
- Vervott, J. D., P. J. Patchett, J. Blichert-Toft, and F. Albarede (1999), Relationships between Lu-Hf and Sm-Nd isotopic systems in the global sedimentary system, *Earth Planet Sc Lett*, 168, 79-99.
- Vezzoli, G., E. Garzanti, and S. Monguzzi (2004), Erosion in the Western Alps (Dora Baltea basin) 1. Quantifying Sediment Provenance, *Sedimentary Geology*, 171(1-4), 227-246, doi: 10.1016/j.sedgeo.2004.05.017.
- von Eynatten, H. (2004), Statistical modelling of compositional trends in sediments, *Sedimentary Geology*, 171(1-4), 79-89, doi: 10.1016/j.sedgeo.2004.05.011.
- von Eynatten, H., R. Tolosana-Delgado, and V. Karius (2012), Sediment generation in modern glacial settings: Grain-size and source-rock control on sediment composition, *Sedimentary Geology*, 280, 80-92, doi: 10.1016/j.sedgeo.2012.03.008.
- Walter, M. J., T. W. Sisson, and D. C. Presnall (1995), A Mass Proportion Method for Calculating Melting Reactions and Application to Melting of Model Upper-Mantle Lherzolite, *Earth Planet Sc Lett*, 135(1-4), 77-90, doi: 10.1016/0012-821x(95)00148-6.
- Watkins, J., J. Grotzinger, N. Stein, S. Banham, S. Gupta, D. Rubin, K. Stack, and K. Edgett (2016), Paleotopography of Erosional Unconformity, Base of Stimson Formation, Gale Crater, Mars, paper presented at 47th Lunar and Planetary Science Conference, LPI, Houston, TX, Abs. #2939.

- Weinberger, R. (1999), Initiation and growth of cracks during desiccation of stratified muddy sediments, *Journal of Structural Geology*, 21(4), 379-386, doi: 10.1016/S0191-8141(99)00029-2.
- Weltje, G. J. (2004), A quantitative approach to capturing the compositional variability of modern sands, *Sedimentary Geology*, 171(1-4), 59-77, doi: 10.1016/j.sedgeo.2004.05.010.
- Weltje, G. J., and H. von Eynatten (2004), Quantitative provenance analysis of sediments: review and outlook, *Sedimentary Geology*, 171(1-4), 1-11, doi: 10.1016/j.sedgeo.2004.05.007.
- White, W. A. (1961), Colloid Phenomena in Sedimentation of Argillaceous Rocks, *Journal of Sedimentary Petrology*, 31(4), 560-570.
- Whitmore, G. P., K. A. W. Crook, and D. P. Johnson (2004), Grain size control of mineralogy and geochemistry in modern river sediment, New Guinea collision, Papua New Guinea, *Sedimentary Geology*, 171(1-4), 129-157, doi: 10.1016/j.sedgeo.2004.03.011.
- Williams, R. M., et al. (2013), Martian fluvial conglomerates at Gale crater, *Science*, 340(6136), 1068-1072, doi: 10.1126/science.1237317.
- Wittmann, A., R. L. Korotev, B. L. Jolliff, A. J. Irving, D. E. Moser, I. Barker, and D. Rumble (2015), Petrography and composition of Martian regolith breccia meteorite Northwest Africa 7475, *Meteoritics & Planetary Science*, 50(2), 326-352, doi: 10.1111/maps.12425.
- Worden, R., and S. Burley (2003), Sandstone diagenesis: the evolution of sand to stone, *Sandstone Diagenesis: Recent and Ancient*, 1-44.
- Wray, J. J., S. T. Hansen, J. Dufek, G. A. Swayze, S. L. Murchie, F. P. Seelos, J. R. Skok, R. P. Irwin, and M. S. Ghiorso (2013), Prolonged magmatic activity on Mars inferred from the detection of felsic rocks, *Nat Geosci*, 6(12), 1013-1017, doi: 10.1038/ngeo1994.
- Yen, A. S., et al. (2005), An integrated view of the chemistry and mineralogy of martian soils, *Nature*, 436(7047), 49-54, doi: 10.1038/nature03637.
- Young, G. M., and H. W. Nesbitt (1999), Paleoclimatology and provenance of the glaciogenic Gowganda Formation (Paleoproterozoic), Ontario, Canada: A chemostratigraphic approach, *Geological Society of America Bulletin*, 111(2), 264-274, doi: 10.1130/0016-7606(1999)111<0264:Papotg>2.3.Co;2.